



महाराष्ट्र शासन



INSTITUTE OF NURSING EDUCATION MUMBAI

परिचर्या शिक्षण संस्था, मोटलीबाई इमारत, सर ज.जी. रुग्णालय आवार, भायखळा, मुंबई
Bai Motlibai Building, Sir J. J. Hospital Campus, Byculla, Mumbai - 400006

E-mail § mumbai.ine@gmail.com

www.inemumbai.org

Tel. 23088644

क्र.पशिसंमुं/वा.दे.करार/सं.प्रि.लं./ 586 /2024

दिनांक :- 2/04/2024

प्रति,

विषय :- परिचर्या शिक्षण संस्था, सर ज. जी. रुग्णालय, मुंबई अखत्यारीतील महिला वसतिगृहात सी.सी.टी.व्ही. यंत्रणा अक्सेसरीसह खरेदी करून कार्यान्वित करणेबाबत.

उपरोक्त विषयान्वये नमूद केल्यानुसार परिचर्या शिक्षण संस्था, सर ज. जी. रुग्णालय, मुंबई अखत्यारीतील महिला वसतिगृहात कोणताही अनुचीत प्रकार उदा. चोरी, रॅगींग इत्यादी तसेच सुरक्षा इत्यादीचा विचारकरता सी.सी.टी.व्ही. यंत्रणा कार्यान्वित असणे क्रमप्राप्त आहे. तदनुषंगाने परिचर्या महिला वसतिगृहात सी.सी.टी.व्ही. यंत्रणा अक्सेसरीसह खरेदी करून कार्यान्वित करण्याकरीता दरपत्रके मागविण्यात येत आहे. सदर दरपत्रक प्रक्रियेत भाग घेण्यास आपण डुक्कुक असल्यास दरपत्रकाचा अनु. क्रमांक व तारीख आणि विषय उल्लेखित केलेल्या मोहरबंद लिफाफ्यात पूर्ण भरलेले दरपत्रक खालील नमुन्यात तयार करून अधिष्ठाता, परिचर्या शिक्षण संस्था, सर ज. जी. रुग्णालय, मुंबई यांच्या नावे प्रशासकीय कार्यालयात दिनांक 92/04/2024 रोजी दुपारी 8.00 वाजे पर्यंत स्विकारले जातील.

Sr. No.	Product Name	Qty.	Specification
1.	2 MP DOM IP CAMERA	18 No.	विनिर्दिष्टे सोबत जोडण्यात आली आहे.
2.	2MP BULLET IP CAMERA	22 No.	
3.	GEGHA POE SWITCH 8PORT	4 No.	
4.	POE JUCTION RACK	5 No.	
5.	ARMED cat 6 CABLE	1100 Mtr.	
6.	64 CH NVR WITH 4 SATA	1 No.	
7.	42 INCH MONITAR	1 No.	
8.	NVR RACK 6U	1 No.	
9.	10 TB HARD DISK SERVILLANCE	4 No.	
10.	BULLET HOUSING	8 No.	
11.	CAMERA STAND	8 No.	
12.	PVC Square Junction Box	20 No.	
13.	LAYING CHARGES INCULING ACCESSORIES	1100 Mtr.	
14.	INSTALLTION CHARGES	40 No.	
15.	giga poe switch 16 port	1 No.	
16.	4 Soket 4 Switch electric board	1 No.	

अटी व शर्ती

- प्रत्येक ठेकेदारास केवळ एक दरपत्रक सादर करता येईल. सदरील दरपत्रक अधिकृत लेटरहेड वर सादर करावेत. त्यासोबत व्यवसाय नोंदणी प्रमाणपत्र, जी.एस.टी. प्रमाणपत्र, पॅन कार्ड कंपनीचे प्राधिकृत माहिती पत्रक (कॅटलॉग) इत्यादी छायांकीत प्रतीत सादर करावे.



- २) दर पत्रकात आकारण्यात आलेले दर हे बाजारभावाच्या अधिन राहून असावेत.
- ३) दरपत्रकानुसार प्राप्त होणारे दर हे एकूण न्युनतम मुल्याकन पध्दतीने आधारीत असुन त्यानुसार कार्यारंभ आदेश प्रदान करण्यात येतील.
- ४) यशस्वी न्युनतम दर प्राप्त पुरवठादाराने यंत्रणेचा हमी कालावधी हा यंत्रणा कार्यान्वित झाल्यापासून ०२ वर्षांचा असेल. हमी कालावधी संपुष्टात आल्यानंतर पुढील ०८ वर्षाकरीता ०१ टक्के दराने वार्षिक देखभाल करार अथवा ०५ टक्के दराने सर्वसमावेशक वार्षिक देखभाल करार करणे क्रमप्राप्त असेल.
- ५) कोणतेही एक अथवा सर्व दरपत्रके नाकारण्याचा, संपुर्ण दरपत्रक प्रक्रिया पूर्णपणे किंवा दरपत्रक स्वीकृतीच्या कोणत्याही टप्प्यावर कारण न देता थांबविण्याचा किंवा रद्द करण्याचा, तसेच दिलेले कार्यादेश रद्द करण्याचा अधिकार अधिष्ठाता, परिचर्या शिक्षण संस्था, सर ज. जी. रुग्णालय, मुंबई यांना असेल.
- ६) सविस्तर अटी व शर्ती वाचून दरपत्रक भरण्यात यावे.


(डॉ. अजय भंडारवार),
अधिष्ठाता,
परिचर्या शिक्षण संस्था,
सर ज. जी. रुग्णालय, मुंबई
अधिष्ठाता,
परिचर्या शिक्षण संस्था,
सर ज. जी. रुग्णालये, मुंबई

Specification CCTV Camera

1) 64Ch. 4K AI Network Video Recorder

- Up to 64 channel IP camera input
- Max. 384 Mbps incoming/recording/outgoing bandwidth
- Max. 32 × 1080p@30 fps or 32 × 2MP@30 fps decoding capability
- Instastream, H.265, H.264, H.264, MJPEG codec decoding
- AI by Recorder: Supports 2 Channel face detection and recognition, up to 20 face databases and 20,000 face images, 4 Channel Perimeter protection, 8 Channel SMD Plus
- Support 4 SATA HDDs up to 20TB Each, 3 USB Ports (2 USB 3.0 Ports)
- 2 HDMI/ 2 VGA simultaneous video output
- Mobile Software: iCMOB, gCMOB
- CMS Software: KVMS Pro Lite

2) 2MP DOM CAMERA:

2Mp Ip (Network) Wired Indoor Dome Camera + Night Vision + Cmos Image Sensor With 3.6Mm Lens - 30Mtr,Cp-Unc-Da21PI3-Y - 1080P.

3) 2 MP BULLET CAMERA

2Mp Ip (Network) Wired Outdoor Bullete Camera + Night Vision + Cmos Image Sensor With 3.6Mm Lens - 30Mtr,Cp-Unc-Ta21PI3-Y - 1080P

4) 10 Ports Switch with 8 Gigabit PoE Ports & 2 Gigabit Uplink Ports

Feature Specification Uplink Ports 2, 1000Mbps; Transmission Distance: 0-100m Network Protocol IEEE802.3i/802.3u/802.3x/802.3af/802.3ab Switch Capacity 20Gbps Full duplex Packet Forwarding Rate 1.488Mpps/port PWR (Power supply Indicator) Light on: Powering Light off: No Power PoE Ports 8, 1000Mbps; RJ45 ports; Max. 30W Output of Single PoE Port Network Ports 10 MAC Address Table 2K PoE Standard IEEE802.3af, IEEE802.3at PoE Power Supply 1/2(+), 3/6(-) Transmission Distance 0-100m/1000Mbps or Port 7-8 Max. 250m/10Mbps via Cat.5e or more under Extend mode PoE Power Budget 96W PoE Feature All ports support MDI/MDIX ESD Air discharge: 8KV ; Contact discharge: 6KV Surge Protection Common mode/RJ45 port: 4KV Differential mode/RJ45 port: 2KV Common mode/Power board: 2KV Differential mode/Power board: 2KV Vlan Support RJ-45 ACT Indicator Green light off: Link is disconnected Green light on: Link is connected Green light flash: Data Transmitting

5) ARMED CAT 6 CABLE:

- FR-PVC-products to meet flammability standards
- Reel in BOX – Easy Pulling
- 23 AWG –Solid Bare Copper
- ETL Verified.
- Single tone Box – Attractive looks for better visibility
- Products follow all international standard.
- RoHS compliant products backed by international 25 years product warranty performance. Manufactured in India

6) 20 Ports Switch with 16 Gigabit PoE Ports & 2 Gigabit Uplink Ports + 2 SFP Ports

- 16 port, 10/100/1000Mbps,RJ45 ports, Max. 30W Output of Single PoE Port, Support IEEE802.3/802.3u/802.3ab/802.3z/802.3x,2 Uplink port, 1000Mbps with Transmission distance of 0-100m,Easy and safe installation: wall-mounting, desktop, Kensington security slot, Plug-and-play.
- Support ESD, Surge Protection
- Bult-in Power Supply

[Handwritten signatures and dates]
02/05/25

[Handwritten signature]
अधिष्ठाता,
परिचर्या शिक्षण संस्था,
सर ज. जी. रुग्णालये, मुंबई



- 7) **10 TB SURVEILLANCE HDD:** 10 TB, Connectivity ,SATA Technology, 3.5 INCH Hard Disk Form Factor, Compatible Devices DESKTOP, INTERNAL HARD DRIVE 220 megabytes per second, 64 cache size, 3 years warranty
- 8) Metal CCTV/DVR/poe Rack with 3 Power Socket and for Fitting Accessories
- 9) pvc mega box: Waterproof PVC Square Junction Box for CCTV Cameras IP65
- 10) **monitor:** 43 (109.22 cms) 4K UHD (3840x2160) IPS Display, Slim & Flat Style Stand ,webOS Smart Display with 10Wx2 Speakers, ThinQ Home Dashboard / Magic Remote Support, AirPlay 2. Screen Share, Bluetooth, USB Type-C™ (PD 65W), 2xHDMI, 3xUSB
- 11) **camera stand:** Mounting Bracket Stand | Heavy Duty Metal for Bullet & Box Camera | 90° Viewing Area | Indoor and Outdoor Use | White | 8 inch
- 12) **camera incloser:** Waterproof/Dustproof/Rainproof Bullet Camera Mounting Enclosure for Outdoor Purpose, Size - 6", Made Aluminium, with Side Locking System
- 13) **NVR RACK: Rack Standard :** Conforms to DIN 41494 or equivalent standard, **Construction :** Welded, **Frame :** Door : Lockable Toughened Glass Door, **Basic Frame :** Steel, **Equipment Mounting :** DIN Standard Slots, **Mounting Angle :** 19" Mounting angles made of formed steel, **Standard Finish :** Powder Coated, **Top and Bottom Cover :** Welded to Frame, Vented and Field Cable entry exit cut outs, **Standard Color :** Grey, **Static Load :** 40 kgs.

[Signature]
02/05/25
@

[Signature]

[Signature]

[Signature]
21/5/25

[Signature]
21/5/25

[Signature]

प्राचार्य,
परिचर्या शिक्षण संस्था,
सर. ज. जी. कम्पलाये, मुंबई

अधिष्ठाता,
परिचर्या शिक्षण संस्था,
सर. ज. जी. कम्पलाये, मुंबई